

1.

, . - (ParseCreate, , XLS XML).

- 1.
- 2.
- 3.

1

order_id	: a-z(A-Z), 0-9, -(), (), (/), (), (), (), , .	
	- 35 .	« » 35 .
	" " .	« » .
	.	«.....» « » .
updateByTrack -	, API.	
	"updateByTrack" "order_id".	.
	.	
	"updateByTrack" , - (: "err": " .")	
vid	" " .	ParseCreate: « » . XML: . XLS: " " - , ... "J" 1,2,3, , , , " " , , , .
	: 1 - , 2 - , 3 - . : 1 -	.
name	, (IssuanceBoxberry=1 PointsDescription).	.
	* , , .	« » .
	: <ul style="list-style-type: none"> • phone • phone2 • price • payment_sum • weight • issue • items [name, price, quantity] 	
name1	, (Reception=1 PointsDescription), .	.
	" " () * , " " _ "" * " " ; " " _ " " " " ;	« » .
e-mail E-mail	: " E-Mail" / " E-Mail" .	« » .

	<p>1)</p> <p>2) 0 9</p> <p>3) !\$&* = ^ ` ~ # % ' + / ? _ { }</p> <p>4) (.)</p> <p>5) (-)</p> <p>., , , , , , , .</p> <p>====</p> <p>1) (,)</p> <p>2) 0 9 ()</p> <p>3) (-) , 1-</p> <p>4) (.) , 1-</p>	" « » email . . "
	<= 45	« » 45 .
fio	: a-z(A-Z), 0-9, (-), , (-), (/), (.), (.), (.), (.), , , ()	.
	1. . 2. 2 . 3. 3 . 4. . , 3. , -	«». «». «».
	<= 100	«» 100 .
phone	= 10, 10 7[10]. -	« » 10 .
	= , - 12 . .	« » , , 12 .
phone2	= . 10, 10 7[10].	« » 10 .
	= - 12 .	« » , , 12 .
price	: • 0 300 000. • (112) 0 100 000.	300 000.00 .
	- .	.
delivery_sum	- .	.
		.

supplier_track	: a-z(A-Z), 0-9, -(), , (-), (/), (.), (,), (), , , () - 35 .	. 35
payment_sum	- . , () - " " " " . vid = 1 () (PrepaidOrdersOnly = true PointsDescription), = 0	. . < > . < > . .
addressp : . city () index () addressp () API ParselCreate, XML XLS .	: , , . : <city> , , </city> <addressp> , 4</addressp> : <city> , , </city> <addressp> , 4</addressp> " " . " " " " . : ^-0-9--.,;()/	' <index> . « » . « » 5 . « » . « » .
timesfrom1 timesto1 , , (, " " " ")	: - -- --- -- ===== " " : 9:00-13:00 9:00-15:00 9:00-18:00 9:00-22:00 12:00-15:00 15:00-18:00 15:00-22:00 18:00-22:00 , , 9:00 22:00.	
delivery_date (, " " " ")	: - -- --- -- ===== +1 +5 . , - +1 .	
comentk	: - -- --- --	

.
 :
 1. :
 " " ,
 • (name),payment_sum
 • (quantity),
 • (price).

:
 • = + ,
 • = 0 ()

-
 " " " " () :
 • (quantity),
 • (price).

.
 2. :
 - :
 -
 • (name),
 • (quantity),
 • (price).

	. : " " " " ,	
	: " " ,	. .
	: .	.
price	- 0. -	1...n 1...n 1...n
quantity	- - 0. -	0 1...n 1...n 1.
name	.	
	: " " " " ,	

	: " " _ .	1...n								
	: .	1...n								
id	40, , . -	« » 40 .								
nds	- 0 20. 0. <table border="1" data-bbox="386 432 617 688"> <thead> <tr> <th></th> <th>API/XML/XLS</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td>-1</td> </tr> <tr> <td>0% 10% 18% 20%</td> <td>(0 20)</td> </tr> </tbody> </table> -		API/XML/XLS				-1	0% 10% 18% 20%	(0 20)	0 1...n 20 1...n 1...n
	API/XML/XLS									
	-1									
0% 10% 18% 20%	(0 20)									
	: = + , = 0 () " " " " _ , . " " _ .	(<>) + (<>) (<>).								
	28 : GTIN+"+"+ISN . : API, XLS, XML.									
marking_crpt	marking_crpt quantity = 1 marking_crpt > 28 . marking_crpt quantity > 1 marking_crpt <= 28 . REST API . XML API SOAP, , <![CDATA[...]]>, . <marking_crpt><![CDATA[02900000217553+IVfTHoca%>km&]]></marking_crpt>	« » 28 1...n 1 1...n. json- sdata.								
notice	: API, XLS, XML. <= 100	« » 100 .								
weight	1- . - . , . = 5 . - 15 (, - 30) - 100 (API, XML-).	« () » 1...n. 1...n « () » 15 (31) . 1...n. 5 . 1...n : <, > 100								
barcode	: API, XLS, XML. - 13 0.	13 0.								

	, .	
barcode	: API, XLS, XML.	
	, .	<1...n> .
	, .	
issue	.	«Issue» .
	: 0 - , 1 - , 2 - .	
	[0,1,2] , " " - "", https://account.boxberry.ru/client/profile/index?tab=services	
	. (-) . (): (EnablePartialDelivery = false PointsDescription), 0 - . , = 0.	= 0.
sender_name sms/e-mail	<ul style="list-style-type: none"> • - 25 • : a-z(A-Z), 0-9, -(-), , (-), (&), (_), , • - 2 (, , ,) 	