

(F12 CTRL+SHIFT+I) Network XHR

The screenshot shows the Boxberry delivery region selection interface. At the top, there's a summary box with "Тип плательщика: Физическое лицо" and "Местоположение: Екатеринбург, Свердловская область, Россия". To the right, it shows "Товаров на: 779 руб.", "Доставка: 213.90 руб.", and "Итого: 992.90 руб.". Below this is a section titled "Доставка" with a message "Необходимо выбрать пункт выдачи Boxberry". It lists several delivery methods:

- Доставка Boxberry (Доставка до пункта выдачи с оплатой на сайте) - 213.90 руб.
- Доставка Boxberry (Доставка до пункта выдачи с оплатой при получении)
- Доставка курьером
- Доставка Boxberry (Курьерская доставка с оплатой на сайте)
- Доставка Boxberry (Курьерская доставка с оплатой при получении)
- Самовывоз

A red arrow points from the bottom of the screenshot to the Network tab in the developer tools toolbar. The Network tab is selected, showing a list of requests. One request is highlighted: "ajax.php?UPDATE\_STATE" with status 200, type xhr, initiator "kernel\_main\_v1.js!1623144960346172:23", size 707 B, and time 144 ms. A waterfall chart is visible to the right.

Name	Status	Type	Initiator	Size	Time	Waterfall
ajax.php?UPDATE_STATE	200	xhr	kernel_main_v1.js!1623144960346172:23	707 B	144 ms	

1 requests | 707 B transferred | 25 B resources

" " index.php

The screenshot shows the Boxberry map-based delivery point selection interface. It features a map of the city of Ekaterinburg with numerous red location markers. Each marker has a small number indicating the count of available collection points at that location. A red arrow points from the bottom of the screenshot to the Network tab in the developer tools toolbar. The Network tab is selected, showing a list of requests. Three requests are listed:

- ajax.php?UPDATE\_STATE (status 200, type xhr, initiator "kernel\_main\_v1.js!1623144960346172:23", size 707 B, time 144 ms)
- ajax.php?UPDATE\_STATE (status 200, type xhr, initiator "kernel\_main\_v1.js!1623144960346172:23", size 707 B, time 149 ms)
- index.php (status 200, type xhr, initiator "jquery-1.8.3.min.js!16237327565174:2", size 880 kB, time 1.01 s)

3 / 54 requests | 881 kB / 2.1 MB transferred | 4.8 MB / 8.5 MB resources

index.php , DeliveryCosts(DeliveryCosts. ). , .

The screenshot shows a map of Ekaterinburg with numerous red circular markers indicating delivery points. A yellow box highlights a specific point near the center. The browser's developer tools Network tab is open, showing a request to 'points.boxberry.de/map/?checkLocation'. The URL in the request bar is annotated with several red boxes:

- 'Объявленная стоимость' (Declared value) covers the first part of the URL.
- 'Сумма к оплате' (Amount to be paid) covers the middle part.
- 'Вес, высота, ширина, глубина' (Weight, height, width, depth) covers the end of the URL.

The Network tab also shows other requests like 'ajax.php?UPDATE\_STATE' and 'index.php'.

, (https://account.boxberry.ru/client/infoblock/index?tab=api&api=settings#) , - ( CMS.

The screenshot shows the 'Integration' section of the boxberry.ru account interface. A red box highlights the 'Integration' tab in the top navigation bar. Below it, there are sections for 'For example' (with declared value, payment amount, and delivery cost), 'Rounding' (with options for rounding to nearest integer or up), and 'Delivery cost per item' (with two dropdown menus for 'Range 1' and 'Range 2'). The URL in the browser address bar is annotated with a red box covering the entire URL.

The screenshot shows the 'Settings' section of the Boxberry interface. It includes a sidebar with navigation links like 'Главная', 'Отправления', 'Финансы', etc. The main area has tabs for 'Инфоцентр' and 'Назад в админку'. A red box highlights the 'Стоимость посылок' (Shipping Rates) section. This section contains two rate tables: 'Диапазон 1' (Range 1) and 'Диапазон 2' (Range 2). Both ranges have 'По тарифам Boxberry' (By Boxberry rates) and 'Фиксированная' (Fixed) options selected. Below these are sections for 'Надбавки' (Add-ons) and 'Опции' (Options), each with several input fields. At the bottom is a green 'Сохранить изменения' (Save changes) button.

index.php

The screenshot shows the 'Calculate' page of the Boxberry interface. It features a sidebar with navigation links. The main area is titled 'Рассчитать отправление' (Calculate shipping). It shows a delivery from 'Москва' to 'Екатеринбург (Свердловская обл.)'. The 'Место 1' (Place 1) section includes fields for height, width, depth, weight, and dimensions. To the right, a box displays the total cost: 'В стоимость доставки включены услуги' (Services included in delivery cost) with a total of '213.90 ₽'. Below this are buttons for 'Очистить' (Clear) and 'Оформить отправление' (Ship). The 'Дополнительные услуги' (Additional services) section lists options like 'Примерка' (Fitting) and 'Голосовое извещение' (Voice message), each with a price and a checkbox.

\* Index.php 0x0x0, 1x1x1

( CMS) - .

The screenshot shows a 'Service Desk' page with a large yellow border. In the top left corner is a blue question mark icon. Below it is the text 'Service Desk'.