

1.

, . - (ParselCreate, web-, XLS XML).

- 1.
- 2.

1

order_id	: a-z(A-Z), 0-9, (-), , (-), (/), (.), (.), (), , .	
	- 35 .	« » 35 .
	" " .	« ».
	.	«.....» « » .
updateByTrack -	: • • , API (JSON, SOAP) • " "	
	token + updateByTrack	
	- (, BBR13790374BBR)	
	"updateByTrack" "order_id". 1. updateByTrack 2. . 3. API 4. -	.
	- (boxberry)	
vid	" " . : 1- , 2- , 3- .	API, XML: . XLS: " " - , ... "J" 1,2,3, , , , " . , , , .
		.
name	, (IssuanceBoxberry=1 PointsDescription).	.
	* , , .	
	" " .	« ».
	: • phone • phone2 • price • payment_sum • weight • issue • items [name, price, quantity]	
name1	, (Reception=1 PointsDescription), .	.
	" "() * , " " - "" * " " , " " - " " " " ,	« ».
e-mail E-mail	: " E-Mail" / " E-Mail-" .	« ».

	1) 2) 0 9 3) !\$ & * = ^ ` ~ # % ' + / ? _ { } 4) (.) 5) (-) , , , , , , , . ==== 1) (,) 2) 0 9 () 3) (-) , 1- 4) (.) , 1-	" « » email . . "
	<= 45	« » 45 .
fio	: a-z(A-Z), 0-9, -(), , (-), (/), (.), (.), (), , , 0	.
	1. . 2. 2 . 3. 3 . 4. . , 3 . , -	«»,. «»,. «»,.
	<= 100	«» 100 .
phone	= : 10 . 10 , 10 7[10]. - .	« » 10 .
	= : - 12 . .	« » , , 12 .
phone2 .	= : 10 . 10 , 10 7[10].	« » 10 .
	= : - 12 .	« » , , 12 .
price	:	300 000.00 .
	• 5 300 000.	5.00 .
	• (112) 0 100 000.	
	- .	.
delivery_sum	- .	.
		.

supplier_track	: a-z(A-Z), 0-9, -(), , (-), (/), (.), (.), (), , , 0	.
	- 35 .	35
payment_sum	- .	.
	.	.
	.	0.
	vid = 1 () (PrepaidOrdersOnly = true PointsDescription), = 0	300000 .
addressp	: , , .	' <index> .
	: <citi> , , </citi> <addressp> , 4</addressp>	
	: <citi> , , </citi> <addressp> , 4</addressp>	
	API ParselCreate, XML XLS .	« ». « » 5 .
timesfrom1 timesto1	"" "" . : ^~0-9--.,;()/	« » . « » .
	: - -- , --- , -- =====	
	(, " " " ")	
	" " : 9:00-13:00 9:00-15:00 9:00-18:00 9:00-22:00 12:00-15:00 15:00-18:00 15:00-22:00 18:00-22:00 , , 9:00 22:00.	
delivery_date	: - -- --- , -- =====	
	+1 +5 . , - +1 .	
comentk	: - -- --- , --	

	<pre> . : 1. : " ", (name) (quantity), (price). : (payment_sum) = (price*quantity) + (delivery_sum), = 0 (). " " " " (): (quantity), (price). . 2. : : (name), (quantity), (price). . </pre>	
	<pre> . : " " " " _ , : " " _ . </pre>	
	<pre> : . </pre>	
price	<pre> " " " " - price = " " (payment_sum) " " (delivery_sum) (, 0). - 0. - </pre>	<pre> 1...n 1...n 1....n </pre>
quantity	<pre> " " " " - , quantity=1 - - 0. - </pre>	<pre> 0 1...n 1...n 1. </pre>
name	<pre> . : " " " " _ , : name=" ", </pre>	

	: " " _ .	1...n								
	: .	1...n								
id	40, , . -	« » 40 .								
nds	- 0 20. 0. <table><tr><td></td><td>API/XML/XLS</td></tr><tr><td></td><td></td></tr><tr><td></td><td>-1</td></tr><tr><td>0% 10% 18% 20%</td><td>(0 20)</td></tr></table> -		API/XML/XLS				-1	0% 10% 18% 20%	(0 20)	0 1...n 20 1...n 1...n
	API/XML/XLS									
	-1									
0% 10% 18% 20%	(0 20)									
	: = + , = 0 () " " " " _ , . " " _ .	 (<>) + (<>) (<>) .								
marking_crpt	28 127 : GTIN+" "+ISN . : API, XLS, XML. marking_crpt quantity > 1 REST API . XML API SOAP, , <![CDATA[...]]>, . ,<marking_crpt><![CDATA[02900000217553+IVfTHoca%>km&]]></marking_crpt>	<> 28 127 , , . 1 1...n. json- sdata.								
notice	: API, XLS, XML. <= 100	 «» 100 .								
weight	1- . - . , . ListPoints PointsDescription LoadLimit (x, y, z) >120, - 15 15 : - -- -- -- = 5 . . - 15 (, - 30)	« () » 1...n. . 1...n « () » 15 (31) . 1...n. 1...n , 120, - 15 1 15 . 5 . 1...n : <, >								

	- 100 (API, XML-).	100
barcode	: API, XLS, XML.	
	- 13 0.	13 0.
	, .	
	<= 250	« » 250 .
barcode	: API, XLS, XML.	
	, .	<1...n> .
	, .	
issue	.	«Issue» .
	: 0 - , 1 - , 2 - .	
	[0,1,2] , " " - "", https://account.boxberry.ru/client/profile/index?tab=services	
	. (-) .(): (EnablePartialDelivery = false PointsDescription), 0 - . , = 0.	= 0.
	" " (issue) " (fitting) : " "*" = " " ""* . *	"" " " .
fitting	: 0 - 1 - ∴ issue	"" " " .
sender_name sms/e-mail	- 25 : a-z(A-Z), 0-9, -(-), , (-), (&), (_), , - 2 (, , , ,)	

?

[Service Desk](#)