

2.

... (ParselCreate, , XLS XML).

- 1.
- 2.

name/ cityCode export,			
order_id	: a-z(A-Z), 0-9, (-), , (-), (/), (.), (.), (), , , 0.		
	- 35 .		« » 35 .
	" /"order_id".		« ».
	.		«.....» « » .
price	countryCode :.		1) []
	, , price, , "price" <= 200		2) 200
	price =		
	price > 0		
payment_sum	- .		.
			.
	vid = 1 () Acquiring = false PrepaidOrdersOnly = true , = 0		
	payment_sum		payment_sum = 0.
	payment_sum > 0, "delivery_sum" + "price"		
delivery_sum	- .		.
			.
issue	.		«Issue» .
	:		= 0
	0 - , 1 - , 2 - ,		
	EnablePartialDelivery = false, "" (0)		,
	EnablePartialDelivery = true, "" (2) "" (1) "" (0)	= 0	
vid			ParselCreate: « ».
			XML: .
			XLS: " " , .. "J" 1,2,3, , , " " " "
	:		.
	1 - , 2 - PickupPoint = 1, (1) (2), (2).		
export. , vid = 2, - (643) =			
index			" "
countryrode			" "
	643 ()		

cityCode		,	" "
	, countryode		
street		,	""
	= , : (.), (.), (-)		, , ,
house		,	""
transporter Guid GUID	GUID	,	"GUID "
	GUID 36 (guid)		GUID
name	, ("IssuanceBoxberry" = true)		
			« »
name1		* , " " - "" , https://account.boxberry.ru/client/profile/index?tab=accesses * " " , " " _ " " " , https://account.boxberry.ru/client/profile/index?tab=store-info " " _ " " " , , .	« ».
	, (Reception=true), (Closed = 0).		.
fio	- = , : a-z(A-Z), 0-9, -(.), , (-), (/), (.), (.), (), , , 0		.
	= , : a-z(A-Z), 0-9, (-), (/), (.), (.), (), , , 0		
	1. . 2. 2 . 3. 3 . 4. . , -		«». «». «».
	<= 100		«» 100 .
phone		,	" "
			[x]
phone2	.	,	[x]
name		,	1...n
price	- 0	,	
			1...n
quantity	- - 0.	,	0 1...n 1...n
			1.
id	40 , , .	,	« » 40 .
weight	1- .	,	« ()» 1...n. .
	- .		1...n
	, .		« ()» 15 (31) . 1... n.
	= 5 .		5 . 1...n

	31 .		31 . 1...n
	- 100 (API, XML-).		100
barcode	- 13 0.	,	13 0.
barcode	, .	,	<1...n> .
	, .		

?
[Service Desk](#)
.